


DAE 2020 JEON PUBLIC PROCUREMENT ONLINE BUSINESS MEETING MIDDLE EAST

2020. 8. 31(Mon) - 9. 03(Thu)





22, Daehwa-ro 132beon-gil,
Daedeok-gu, Daejeon, Republic
of Korea

Tel +82-2-839-1863

Fax +82-2-839-2272

Homepage

www.samjinvalve.com

Email

sales@jmcvalve.kr

CERTIFICATES



Greeting

Samjin is the leading manufacture of outstanding quality valves in South Korea. Since established in 1991, we have been providing the perfect solutions of flow components to major oil and gas, petrochemical, power plant, and water treatment companies in the world.

We hold 110 or more patents for new technologies on valves and their related system. High stable production has been achieved through innovative technologies and high tech manufacturing facilities under strict quality management systems.



ITEM 1

Model	Trunnion Ball Valve
Size	2" ~ 56"
Class	150lb ~ 2500lb, 5000psi
Material	Forged & casted carbon steel & alloy
Configuration	2pc or 3pc / side entry
Application	Oil & Gas production / distribution

Normal Service / Cryogenic Service / Severe Service



ITEM 2

Model	Floating Ball Valve
Size	1/4 ~ 12"
Class	150lb ~ 600lb
Material	Forged & casted carbon steel & alloy
Application	Oil & Gas, petrochemical plant

Normal Service / Cryogenic Service / Severe Service



ITEM 3

Model	Floating Ball Valve
Size	3" ~ 160"
Class	150lb ~ 300lb
Material	Carbon iron, steel & stainless steel
Configuration	Concentric / Triple Eccentric Structure
Application	Water and wastewater treatment, HVAC Normal Service / Cryogenic Service / High Performance



KEY ATTRIBUTES

- Our Products in Oil & Gas Industry : Ball Valves
- Our Products in Power Plant Industry : Butterfly Valves
- Pursuit of Quality
- Technology Innovation
- Strict manufacturing processes



#201, Migun Technoworld,
199 Techno2-ro, Yuseong-gu,
Daejeon, Korea, 34025

Tel +82-42-861-1689

Fax +82-42-861-1689

Homepage

www.coxem.com

Email

overseas@coxem.com

domestic@coxem.com

CERTIFICATES




Greeting

SEM is the a precision instrument that can be used for analyzing the shapes or constituents of microstructure materials in quantitative and quantitative and qualitative ways. SEM is an essential instrument for development of basic science and dispensable infra for technical innovation, used in chemistry, biology, material science as well as nano-materials and nano-biology.

Since 2008, COXEM has commercialized the popular SEM and developed domestic marketing. In 2009, we finally entered into global markets like United States, Asia and Europe.

Analytical Technology is the fundamental technique for every science technology. Without qualified analyzing instrument, creative technology can't be built and developed. COXEM, as a partner for Nano-fusion industry, we will do our best for the future of Nanotechnology. We will strive hard to be a Global Leader in SEM market.



ITEM 1

Model	EM-30 ^N
Dimensions	400(W)*600(D)*500(H)
Weight	85Kg

EM-30^N, which is a product of COXEM's steady investment for technology and development with a view to the era of nanomechanics, can deliver clear images without noise even at high magnification and scan even wider area with its panorama feature. Also, its full compatibility with EDS delivers optimized performance. With its satisfactory performance and price, EM-30^N will shine in all research areas and deliver superb results to the development and utilization of advanced technology.

Features

Effect of High Resolution

EM-30N boasts the advantage that it enables high magnification observation of images. Moreover, it can effectively get high-resolution images by adjusting the voltage, operational working distance, and electron beam size.

Dual Display / Signal Mixing Mode

Dual Display Mode

The dual display mode delivers SE and BSE images in a single-view presentation.

Signal Mixing Mode

Combining SE and BSE images provides a single-view access to the forms and chemical composition of samples.



ITEM 2

Model	CX-200PLUS
Dimensions	4640(W)*682(D)*1430(H)
Weight	230Kg

A full-size Scanning Electron Microscope (SEM) that both new and experienced users will find suitable for many type of demanding research and quality control requirements. The standard supplied configuration of the CX-200plus includes both SE and BSE imaging detectors as well as an internal chamber view camera for easy stage tilt and height adjustments. The CX-200plus offers high resolution imaging capabilities at a very attractive price. After evaluating the CX-200plus, your search for most cost effective solution will be an easy decision.delivers optimized performance.

Features

- High Resolution Imaging
- SE & BSE Imaging Detectors
- 5 Axis Motorised Stage XYZRT
- Chamber View Camera
- EDS, WDS, EBSD & CL Options
- Intuitive NanoStation Software



KEY ATTRIBUTES

- Holding a range of global certificates and patents
- CE / ISO9001 / ISO14001 etc



- Holds domestic new technology certificate



- 24 hour response customer service team
- Over 10% global market share
- Training services offered



67 Noeundong-ro 240-beongil,
Yuseong-gu, Daejeon

Tel +82-1588-5361

Fax +82-42-526-9701


Homepage

www.cleanbio.co.kr

Email


seafog@hanmail.net

CERTIFICATES



Greeting

Cleanbio researches, develops and manufactures a range of products using eco-friendly materials. The corporate attached research center that is manned by outstanding researchers develops antibody alternatives, harmful animal repellants, deodorizers, and other products using natural materials. It has recently received attention in both domestic and overseas markets for its urban sterilizers and air purification sterilizers. LIVA CLEAN VIRUS, which purifies and sterilizes the airborne ultrafine particles, harmful substances, viruses and bacteria that have recently become a huge issue, has experienced an exponential growth in demand from public facilities and hospitals. We will become a company that contributes to improving human welfare through management that focuses on people and the environment.




ITEM

Model • LIVA CLEAN VIRUS SMART MIRROR
• LIVA CLEAN VIRUS WHITE

Product size 340*360*1770

Weight 67kg



- 1 100% virus elimination
- Kills nucleic acid (DNA and RNA) with UV and hydroxyl radical (-OH) for 100% disinfection of coronavirus, influenza virus, poliovirus, and adenovirus
- 2 Deodorizes and removes harmful gases (new house syndrome)
- 3 Reduces symptoms of atopic and allergic respiratory diseases by improving air quality
- 4 Long life and minimal power consumption through the use of LED disinfection lamp
- 5 Guaranteed 30,000 hours of stable use and minimized parts replacement costs for the disinfection module
- 6 Equipped with 4-stage wind power DC motor to minimize noise
- 7 Remote support service

KEY ATTRIBUTES

- Disinfection and elimination of harmful gases using the air purifier
- UV disinfection **UV-A LED**
- Disinfection and gas removal of -OH Hydroxyl Radical (-OH)
- Touch-reacting type simple and refined design





91, Sinilseo-ro 85beon-gil,
Daedeok-gu, Daejeon,
Republic of Korea

Tel +82-42-362-5050

Fax +82-42-362-5055

Homepage

www.picopack.co.kr

Email

cs@picopack.co.kr

CERTIFICATES



Greeting

PICOPACK was established in 2016. We are manufacturing the innovative X-ray image acquisition devices (Intra-Oral dental X-ray sensor / digital operating CNT X-ray sourcetube) for comfortable & safe dental check-up. We've been found several problems in dentistry area currently. First, people are exposed by radiation when they do dental X-ray inspection. Second, delay of acquiring dental X-ray image. Third, misdiagnosis are caused by low resolution dental X-ray image acquiring devices. Our solutions / products are Intra-Oral X-ray sensor (OEM / ODM) and digital CNT X-ray source tube (Component Supply) for hand-held portable X-ray generator. For now, our domestic partners and cooperatives are Genoray, Vieworks, Dentium, Ray, Osstem, Digimed. Also, our overseas contractors are Polaroid Dental Imaging(US) and Planmeca (Finland). These are make our company competitive in many way and we can share our benefits and values with global community.

ITEM 1

Item	Intra-Oral Sensor	
	XDP-F350A	XDP-G350A
External Dimensions Detector	43.4 x 33.7 x 5.4(#2.0)	43.4 x 33.7 x 4.2 (#2.0)
Active surface in Size	26.2mm x 34.4mm	
Pixel Size	20um	
Theoretical Detector Resolution	25 lp/mm	16 lp/mm
Scintillator Technology	FOS	GOS
Gray Levels	16,384(@14bits)	
Dynamic Range	60dB	
Full Well Capacity	600,000 Electrons	
Frame Rate	0.6fps	
Connection	Standard USB 2.0	



These image sensors have 2.2mega pixels(1,312 x 1,720) with pixel size of 20 x 20um and monitor photodiode for imaging and detecting X-ray irradiation.

ITEM 2

Item	Digital CNT X-ray Tube	
	65kV (Medical / Dental)	80-120kV (Industrial)
Tube Voltage	65kV (Medical / Dental)	80-120kV (Industrial)
Tube Current	3mA	0-100mA
Anode Angle	12.5	12.5
Focal Spot	0.4mm	0.1~0.4mm
Exposure Time	0.01-0.5s	0.1-1s
Operation Time	100K(shot)	Conditional
Life Time	15,000h / 2year	15,000h / 2year
Size	54.5 x 15(mm)	75mm x 30mm
Weight	40g	70g



The CNT can be used in combination with X-ray generator as a digital operation system.

KEY ATTRIBUTES

• We have technological competitiveness and superiority

- Oral sensor**
- We have significant experiences in developing and mass-producing various packaged modules such as cephalo, panorama, CT, etc.
 - We have reliable technologies for mass-production of low-price X-ray detector modules.

CNT X-ray Tube

- We have ETRI's frontier technology and proprietary packaging technologies to produce CNT-based digital x-ray tubes.
- Other companies produce the tube differently. So those make the price of CNT much expensive

• Global market competitiveness

- International PCT is applied.
- We have extended our sales channel by signing the MOU, NDA with P Company (USA-MOU), P Company (Finland-NDA). Also, we get supply contracts with T Company (Thailand) and B Company (Vietnam).
- Picopack has global partnership with many countries





#201, Migun Technoworld,
199 Techno2-ro, Yuseong-gu,
Daejeon, Korea, 34025

Tel +82-42-861-1689

Fax +82-42-861-1689

Homepage

www.coxem.com

Email

overseas@coxem.com

domestic@coxem.com

CERTIFICATES



Greeting

In the era of advanced technology, Quality of Life comes first. The way of life is more important than how long you live.

CURAUM is making products and services to help you enjoy a more balanced life for your own life style.

For better life, CURAUM



ITEM 1

Model Clium Cleaner Plus



ITEM 2

Model Clium Cleaner



Standard Dental Cleaner

- Powerful ultrasonic cleaning (40~42 kHz)
- Near perfect UV disinfection (270~280 UV-C Light)



Stylish Dental Cleaner

- Separated structure for maximized usability
- Elegant design with metallic exterior and corrosion-resistant stainless-steel interior



Smart Dental Cleaner

- Supports Mobile Apps (remote control / push alarm, etc.)
- Voice control with AI speaker (For Google Home / Amazon Alexa)



KEY ATTRIBUTES

• High levels of technology

Simultaneous cleaning and disinfection

- In addition to the microorganism removal functions, in which foreign substances and germs are dropped on a surface with ultrasonic waves, UV radiation is applied to disinfect germs on the cleaned object's surface and internal solutions.

• High capacities for entering foreign markets

- Holds a variety of overseas certifications



- Experience of participation in overseas exhibits and selling samples



First to third floors, 309-16
Techno-2-ro, Yuseong-gu,
Daejeon Metropolitan City, Korea

Tel +82-42-671-8331

Fax +82-42-671-8333

Homepage

<http://somabio.kr>

Email


Soma.kr@daum.net

CERTIFICATES



Greeting

SOMAbio's Enzyme-based Food Garbage Disposal System is designed and produced for optimal microorganism growth, and discharges food garbage after its volume has been reduced through being consumed as feed for microorganisms (culture medium). SOMAbio has acquired 22 patents related mainly to the microorganisms useful for deodorization and other products. Based on SOMAbio's own original technology, these products have been sold to 21 local governments over the last 15 years. The sizes of the units are small in comparison to their disposal capacities, and as odors are removed by SOMAbio's own proprietary microbial enzymes, they are very suitable for installation inside kitchens. SOMAbio was established with the goal of handing over a clean and environment-friendly planet to our grandchildren by supplying products that solve food waste problems.



ITEM

MODEL	Holy-G/070	Holy-G/099
Type	Enzyme-based disposal system	
Capacity (1 time)	70 Kg	99 Kg
No. of Meal Person	300~400	600~700
Unit	1,323(L) × 785(W) × 1,070(H)	1,520(L) × 820(W) × 1,150(H)
Dimensions (mm)		
Unit Weight (empty)	160kg	270kg
Color	Cherry Red / Metal gold	Cherry Red / Metal gold
Voltage	AC 220V	AC 220V
Average Power Consumption	0.5kwh	0.8kwh

* This material is made for better understanding of customer.

* The specifications are subject to change without notice.

* The power consumption level can be different by operating condition
Copyright © SOMAbio Co., LTD. 2017

HOLY-G 070

Enzyme-based Food Garbage Disposal System (Holy-070)
for large restaurants
Disposal capacity: 70 kg

HOLY-G 099

Enzyme-based Food Garbage Disposal System(Holy-099)
for large restaurants
Disposal capacity: 99 kg



KEY ATTRIBUTES

85%

Food waste fermentation reduction treatment

6hour

High-speed fermentation reduction treatment time

0ppm

No foul odors produced during the treatment process

25db

No noise generated during the treatment process

SOMAbio's Own Fermenting Technology
For Clean Earth!
(Patented Biological Process)

Verified Stability of Microorganisms
Patented Microorganisms!

Stainless Steel Interior/Exterior
Extremely Durable!

Insects free
No odors!
No system clean out!

In 6 hours for 1 time treatment
Hi-speed Treating!

No need to remove sludge from unit
On-site Elimination of food waste!

90% Cut down of garbage treating cost
Low Running Cost!

Drained water improve soil ecology
Eco-friendly Fertilizer!

One-touch automatic system
Convenient automatic operation!



402, 1397 Daedeok-daero,
Daedeok-gu, Daejeon, Korea.
34301

Tel +82-42-822-9027

Fax +82-42-822-9028

Homepage

www.goostech.co.kr

www.thorglove.com

Email

kuasik@empas.com

CERTIFICATES



Greeting

Goostech was established in 2010 with the aim of pursuing a more convenient and safe society through the development and commercialization of functional fibers. Through the development of materials for general textiles as well as the overall use of materials for living and industrial materials, we continue to carry out R&D activities today to give consumers a chance to use products that are more convenient for them.

Thor Glove is a brand name registered not only in Korea but also in the U.S., Europe and Japan, featuring its excellent heat-resistance and cut-resistance properties, using Aramid, Oxy PAN, HPPE and Stainless Steel Fiber. It is certified as a product that has excellent heat-resistance and cut-resistance gloves in a test report of official certification authority.



ITEM 1

Model DOUBLE MELANGE
THOR GLOVE (TS-DMD)

Advantages

- Double layer with cotton
- Heat-resistance(400°C)
- Cut-resistance
- Protection from flame spark
- Excellent sweat absorption



Flammability

- Level 4(EN 407)

ITEM 2

Model ALON HIGH HEAT-RESISTANCE GLOVE
THOR GLOVE (TWA)

Advantages

- Heat-resistance(700°C)
- Flame-resistance
- Protect arms from flames
- Excellent sweat absorption
- Washable



Flammability

- Level 4(EN 407)

ITEM 3

Model OVEN GLOVE
THOR GLOVE (TS-DO)

Advantages

- Heat-resistance(400°C)
- Easy to grip
- Non-slip
- Excellent coating durability



Flammability

- Level 3(EN 407)

ITEM 4

Model CUT-RESISTANCE GLOVE
THOR GLOVE (TSS-1)

Advantages

- Excellent cut-resistance
- Easy to grip
- Non-slip
- Good fitting



Cut Level

- Level 3(EN 388, 2016)

KEY ATTRIBUTES

- Excellent ability for entering foreign markets
 - 1) Participation in numerous overseas exhibitions
 - 2) Experience exporting to Japan and Germany
 - 3) Agent office in Japan
 - 4) Possesses certifications that meets EU standards

- High levels of technology
 - 1) Textiles-based and composite technologies: Textiles can be selected according to consumer needs; performance can be improved through composition
 - 2) Product design and knit technologies: Features of the products can be changed by changing the organization of products
 - 3) Coating technologies: Coating substances of various materials can be applied
 - 4) R&D Capacities : Gloves have improved heat-resistance and cut-resistance thanks to outstanding textile R&D

NUEVO COMPANY

2, Gyochon-ro 6beon-gil,
Yuseong-gu, Daejeon, Republic
of Korea (34225)

Tel +82-42-621-4260

Fax +82-42-2719-4260

Homepage

www.nuevocompany.com /
blog.naver.com/fhrm3

Email

Fhrm5009@gmail.com
Nuevocompany2015@gmail.com

CERTIFICATES



Certificate of Technical
Achievement



Certificate of corporate
attached research center



Certificate of Design
Registration



Certificate of Utility
Model Registration



Greeting

Nuevo Co Ltd was established as a preliminary founder in February 2015 through the Daejeon Economics and Trade Agency's Youth Customized Business Support Project We were certified as a technology venture company, and research and develop eco friendly products that can be used in automobiles and indoors through the technology development R D business of the SME venture department Currently, we are a young entrepreneurial company that has secured intellectual property rights, starting with two patent applications and one utility model in 2019.

Installation example



Before/after partitioning



Before/after seat movement extension



Steel floor



Mobile work table



My customized renovation

Special purpose car production Nuevo mobile work vehicle As lifestyles diversify, this is the vehicle that people are requesting It is a production vehicle requested by individual customers from public institutions, for purposes such as mobile work vehicle, mobile experiment vehicle, mobile consultation vehicle, and road heating vehicle. This is a product that does not use any alcohol ingredients, and has no problems of product deterioration while it functions like a conventional perfume for indoor environments and textiles, making it appropriate for an era when indoor purification is essential due to fine dust and various pollutions

MAJOR CUSTOMERS

- Experimental vehicle salesperson who requests an experimental vehicle for research purposes
- Companies supplying Korean cars to government offices and institutions
- Companies that distribute automobile interior goods or gift products
- Lorry distributors
- Automobile Importer
- Korea Household Goods Importer
- Broadcasting Companies
- Authorized (VIP, etc entertainment companies
- Automobile producers and distributors / suppliers

Modern options

Powertrain/Suspension

Diesel 2.5 VGT engine (175 horsepower), 5 speed automatic transmission, Active Eco

Exterior

Heated outside mirrors

Convenience/embedded

Driver's seat ventilation, telescoping steering wheel, heated steering wheel, cruise control, floor control box, metal pain center fascia, door courtesy lights, sun visor

Multimedia

High end audio, Bluetooth Hands Free, steering wheel embedded remote control, tweeter

Basic

Can be remodeled into a camping car, moving work car, experiment vehicle, measurement vehicle, research vehicle, etc

Customized production

Partition open type, cargo steel floor, mobile work, table, seat move extension addition



2020

DAEJEON-MIDDLE EAST

PUBLIC PROCUREMENT OLIVE BUSINESS MEETING
